City of Perry

Rental Inspection Checklist

Location	Owner	
Date Inspected	Inspector	
People present for inspection		

Pass/ Fail		What is inspected	Comments
Yes	No	Dwelling unit has Kitchen Room or	
		Kitchenette.	
Yes	No	Stove, Sink, and Refrigerator are	
		fully functional.	
Yes	No	There is adequate space for storage	
		and preparation of food.	
Yes No	No	Unit has a fully functional	
		bathroom, toilet, lavatory basin,	
		and shower or bathtub.	
Yes	No	Water heater is fully functional and	
		is capable of 100 degrees	
		Fahrenheit at kitchen sink, lavatory	
		basin, and bathtub or shower.	
Yes	No	Kitchen sink, toilet, lavatory basin,	
		and bathtub or shower are properly	
		connected to the City Water and	
		Sewer.	
Yes	No	Every dwelling unit has direct	
		access outside or to a public	
		corridor.	
Yes	No	Every dwelling unit shall have at	
		least one operable window or	
		exterior door approved for	
		emergency egress or rescue.	
Yes	No	All forms of emergency egress are	
		fully functional.	
Yes	No	Heating facilities are properly	
		installed and can heat to at least 68	
		degrees Fahrenheit in all habitable	
		rooms, bathrooms and toilet room.	
Yes	No	Proper amount of outlets in every	
		room and electric is safely installed.	
Yes	No	Proper working smoke detectors in	
		every living quarter.	
Yes	No	Rental unit has a 2 ½ pound (ABC)	
	 _	fire extinguisher or a 5 pound (ABC)	
		fire extinguisher within seventy five	
		(75) feet of the dwelling.	

Yes	No	The stair, step, elevator, handrail,	
		guardrail, porch and apparatuses	
		are maintained in safe and sound	
		conditions.	
Yes	No	Doors are in good and function	
		condition with proper locking	
		capability.	
Yes	No	All windows are in good, functional	
		condition and can stay open on its	
		own with nothing holding it open.	
Yes	No	All forms of egress are in good	
		repair and are free from	
		obstruction at all times.	
Yes	No		
		rental unit.	
Yes	No	Dwelling appears to be pest free	
		and the landlord has a pest	
		elimination plan.	
Signature of			f landlord or representative